

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(key near1 database) with (door near1 admin\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S2	0	(key near1 database) same (door near1 admin\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S3	0	(key near4 database) same (door near1 admin\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S4	0	(key near4 database) same (door near1 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:04
S5	0	(user with key\$1 near1 profile) same (door near1 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:04
S6	64	(user with key\$1 near1 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:05
S7	1	(user with key\$1 near1 profile)with access\$3 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:05
S8	7712	door with access\$3 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:06

## EAST Search History

S9	0	(door with access\$3 with control\$3) with (key\$1 near1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:06
S10	0	(door with access\$3 with control\$3) same (key\$1 near1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:07
S11	8	(door with access\$3 with control\$3) and(key\$1 near1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:11
S12	3	(door near1 controll\$3) and(key\$1 near1 profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:12
S13	10	(door near1 controll\$3) and(key\$1 with profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:13
S14	3	(door near1 controll\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:14
S15	35	(door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:16
S16	1	"713"/\$.ccls. and(door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:15

## EAST Search History

S17	1	"380"/\$.ccls. and (door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S18	0	"380"/\$.ccls. and (door near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S19	0	"380"/\$.ccls. and (door\$1 near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:17
S20	24	(door\$1 near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:18
S21	0	(door\$1 near1 access\$3) and(reset\$3 with key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:19
S22	1	(door\$1 near1 access\$3) and(chang\$3 with key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:24
S23	4	(door\$1 with access\$3) and(chang\$3 with key\$1 with profile\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:27
S24	22	(door\$1 with access\$3) and(reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:37

## EAST Search History

S25	0	(door\$1 with access\$3) and(reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" and clock near1 door	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:32
S26	2024	(door\$1 with access\$3) and(authorized wiht reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:37
S27	3	(door\$1 with access\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:39
S28	4	(door\$1 with lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:55
S29	6	(door\$1 same lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:56
S30	0	(door\$1 same lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57
S31	0	(authorized with reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57
S32	0	(reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:57

## EAST Search History

S33	7	(remote with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:59
S34	0	(remote with reset\$3 with authenticat\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:59
S35	0	(remote with reset\$3 with authorize\$3 near1 code\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:00
S36	37	(remote with reset\$3 near5 code\$1) and (door\$1 or gate\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:32
S37	12	(remote with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:34
S38	6	(guest with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:57
S39	0	(guest with remote\$3 with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S40	0	(guest with remote\$3 with register\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58

## EAST Search History

S41	0	(guest with remote\$3 with register\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S42	0	(guest with change\$3 with register\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S43	26	(guest with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:58
S44	0	(guest with remote\$3 with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:59
S45	26	(guest with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:01
S46	5	(guest near1 change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:28
S47	0	(guest near1 change\$3 with code\$3) and (central near1 controll\$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29
S48	0	(guest near1 change\$3 with code\$3) and (center near1 controll\$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29

## EAST Search History

S49	0	(guest near1 change\$3 with code\$3) and (center near3 controll\$4)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:29
S50	0	(guest near1 change\$3 with code\$3) and (resgist\$3)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:30
S51	0	(guest near1 reset\$3 with code\$3) and (resgist\$3)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:30
S52	4	(guest near1 reset\$3 with code\$3) and (central)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 16:23
S53	1	("5979754").PN.	USPAT; USOCR	OR	OFF	2005/09/29 16:27
S54	0	("(guest\$1with(timenear2access\$3) and@ad<=20001026").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 16:29
S55	7	(guest\$1 with (time near2 access\$3)) and @ad<="20001026"	USPAT	OR	OFF	2005/09/29 16:30
S56	13	(guest\$1 same (time near2 access\$3)) and (access\$3 with door\$1 or gate\$1)and @ad<="20001026"	USPAT	OR	OFF	2005/09/29 16:59
S57	1	("5979754").PN.	USPAT; USOCR	OR	OFF	2005/09/29 18:07
S58	1	("6006258").PN.	USPAT; USOCR	OR	OFF	2005/09/29 18:07
S59	1	("6697368").PN.	USPAT; USOCR	OR	OFF	2005/09/30 10:02
S60	1	("20020152305").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 10:04

## EAST Search History

S61	572	(router with blade\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:05
S62	7	(router with blade\$1)with packet\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:19
S63	0	(router with blade\$1)with packet\$1 with session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:19
S64	0	(router with blade\$1)with packet\$1 same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:19
S65	0	((router with blade\$1)with packet\$1)same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:20
S66	0	((router with blade\$1)same packet\$1)same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:20
S67	0	((router with blade\$1))same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:20
S68	0	((router\$1 with blade\$1))same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:20



## EAST Search History

S69	87	((blade\$1))same session\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:20
S70	2	((blade\$1))same (transport\$3 with session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:21
S71	41	((blade\$1))with (session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:21
S72	0	((blade\$1))with packet\$1 with (session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:22
S73	0	((blade\$1))with digital with (session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:22
S74	0	((blade\$1))same digital with (session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 10:22
S75	4	((blade\$1))with server\$1)same (session\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:37
S76	0	(blade\$1 with distribut\$3 near1 software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:38

## EAST Search History

S77	0	(blade\$1 same distribut\$3 near1 software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:38
S78	0	(blade\$1 same download\$1 near1 software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:39
S79	0	(blade\$1 same cast\$1 near1 software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:39
S80	1	(blade\$1 same download\$3 with software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:40
S81	4714	(distribut\$3 near1 software\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:40
S82	0	(distribut\$3 near1 software\$1)with blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:40
S83	0	(distribut\$3 near1 software\$1)same blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:40
S84	54	(distribut\$3 near1 software\$1) and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:41

## EAST Search History

S85	32	(download\$3 near1 software\$1) and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:42
S86	1	(download\$3 near1 software\$1) with blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:42
S87	7259	(download\$3 near1 software\$1) sameblade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:42
S88	1	(download\$3 near1 software\$1) same blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:42
S89	2	(download\$3 near1 software\$1) same backplan\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:44
S90	1	(download\$3 near1 data\$1) with blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:45
S91	15	(distribut\$3 near1 data\$1) with blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:46
S92	18	(distribut\$3 near3 data\$1) with blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:47

## EAST Search History

S93	0	(data\$1) with from near1 blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:47
S94	0	(data\$1) with from near4 blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:47
S95	0	(data\$1) same from near4 blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:47
S96	655	server\$1 with distribut\$3 near1 software\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:48
S97	2	(server\$1 with distribut\$3 near1 software\$1) and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:50
S98	1	(distribut\$3 and software\$1).ti. and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:51
S99	15	(distribut\$3 and software\$1).ab. and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:53
S100	0	(software\$1 near2 provider\$1).ab. and blade\$1 and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:53

## EAST Search History

S10 1	194	(software\$1 near2 provider\$1).ab. and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:53
S10 2	11	(software\$1 near2 provider\$1).ab. and broadcast and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 12:31
S10 3	2	(software\$1 near2 deliver).ab. and broadcast and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:55
S10 4	1	(software\$1 near2 deliver\$3)and blades and broadcast and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 11:55
S10 6	0	("20020152305").PN.	USPAT; USOCR	OR	OFF	2005/09/30 12:31
S10 7	1	("20020152305").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 13:17
S10 8	23669	blade\$1 with object\$1	USPAT	OR	OFF	2005/09/30 13:18
S10 9	0	("20030097428").PN.	USPAT; USOCR	OR	OFF	2005/09/30 13:43
S11 0	1	("20030097428").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 14:26
S11 1	1	("6697368").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 14:27
S11 2	1	("20020152305").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 15:23
S11 3	568	(DTMF same playback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:23

## EAST Search History

S11 4	0	(DTMF near1 detector\$1 same playback)with (media or multimedia) and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:25
S11 5	21	(DTMF near1 detector\$1 same playback)and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:26
S11 6	12	(DTMF near1 detector\$1 with playback)and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:50
S11 7	0	(VAD near1 detector\$1 with playback)and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:31
S11 8	0	(VAD near2 detector\$1 with playback)and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:31
S11 9	153	(session\$1 with SIP with packet\$1)and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:55
S12 0	0	(session\$1 with SIP with packet\$1) same blade41 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:55
S12 1	0	(session\$1 with SIP with packet\$1) with blade41 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:55

## EAST Search History

S12 2	0	(session\$1 with SIP with packet\$1) with blade\$1 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:55
S12 3	0	(session\$1 with SIP with packet\$1) same blade\$1 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:55
S12 4	22383799	(session\$1 with SIP with packet\$1) same downloadand @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:56
S12 5	0	(session\$1 with SIP with packet\$1) same download\$3 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 16:56
S12 6	33	(session\$1 with SIP with packet\$1) and download\$3 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:06
S12 7	8	(session\$1 near1 control\$3 with SIP with packet\$1) and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:01
S12 8	0	(session\$1 near1 control\$3 with SIP with data near1 packet\$1) and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:01
S12 9	0	(session\$1 near1 control\$3 with SIP with data near4 packet\$1) and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:01

## EAST Search History

S13 0	0	(session\$1 near1 control\$3 with SIP with message\$1 near4 packet\$1) and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:02
S13 1	20	(session\$1 with SIP with MGCP) and download\$3 and @ad<"20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 17:06
S13 2	93	( Keys with admini\$4) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 06:22
S13 3	12	( Keys with admini\$4) and (database with associat\$3)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 06:26
S13 4	25	( Keys with admini\$4) and (key\$1 with function\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 06:27
S13 5	0	( Keys with admini\$4) and (door near1 key\$1 with function\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 06:27
S13 6	7	(gate or door) and ( Keys with admini\$4) and (key\$1 with function\$1)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 07:46
S13 7	1	("20030208612").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/23 07:46
S13 8	26	(meta near1 server)and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:31



## EAST Search History

S13 9	10	(meta near1 server) and key and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 14:56
S14 0	26	(meta near1 server) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:08
S14 1	53	multi near tiered near1 server and plural\$4 and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:09
S14 2	0	multi near1 tiered near1 server same plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:10
S14 3	0	multi-tiered near1 server same plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:10
S14 4	1	multi-tiered same plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:12
S14 5	321	control\$3 with plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:12
S14 6	4	meta and control\$3 with plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:15

## EAST Search History

S14 7	4	meta with plural\$4 near1 servers and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:18
S14 8	11	meta with plural\$4 near1 databases and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:47
S14 9	8	(meta with address\$3 with referenc\$3) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 15:51
S15 0	201	(meta with address\$3 ) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:00
S15 1	2122	(director\$3 near2 server) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:00
S15 2	131	(director\$3 near2 server with plurality) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:02
S15 3	207	(director\$3 with meta) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:03
S15 4	6	(director\$3 with meta with address) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:04

## EAST Search History

S15 5	3	(meta with address with plurality near3 systems) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:05
S15 6	1	(meta with address near1 table) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:12
S15 7	17	(control with meta with address\$3) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:13
S15 8	24	(control\$3 with meta with address\$3) and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:22
S15 9	1	("6269365").PN.	USPAT; USOCR	OR	OFF	2006/01/24 16:30
S16 0	0	("metaadjserver").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 16:30
S16 1	33	meta adj1 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:31
S16 2	3	meta adj1 server with address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:37
S16 3	39	meta adj1 server sameaddress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:37

## EAST Search History

S16 4	6	meta adj1 server same address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:46
S16 5	19837690	meta adj1 server same rout\$4 @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:47
S16 6	0	meta adj1 server same rout\$4 near1 information and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:48
S16 7	2	meta adj1 server with rout\$4 and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:51
S16 8	2	meta adj1 server same rout\$4 and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:52
S16 9	0	meta adj1 server with plurali\$4 near2 hosts and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:53
S17 0	0	meta adj1 server same plurali\$4 near2 hosts and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:53
S17 1	2	meta adj1 server same plurali\$4 and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:54

## EAST Search History

S17 2	10	meta adj1 server and @ad<="20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/24 16:54
S17 3	1	("6130606").PN.	USPAT; USOCR	OR	OFF	2006/01/26 10:49
S17 4	1	("5541585").PN.	USPAT; USOCR	OR	OFF	2006/01/26 10:50
S17 5	1	("6049287").PN.	USPAT; USOCR	OR	OFF	2006/01/26 10:50
S17 6	1	("6006258").PN.	USPAT; USOCR	OR	OFF	2006/01/26 10:51
S17 7	0	("20020052935").PN.	USPAT; USOCR	OR	OFF	2006/01/26 10:51
S17 8	1	("20020052935").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 10:52
S17 9	1	("5397884").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/26 10:52
S18 0	136	"380"/\$.ccls. and (door\$1 gate\$1 entrance\$1) with (database\$1 storag\$3 store\$1) with (key\$1 code\$1 pad\$1 keypad41) with (database\$1 storag\$3 store\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:28
S18 1	10	"380"/277.ccls. and (door\$1 gate\$1 entrance\$1) with (database\$1 storag\$3 store\$1) with (key\$1 code\$1 pad\$1 keypad41) with (database\$1 storag\$3 store\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:32
S18 2	33	"380"/277.ccls. and (door\$1 gate\$1 entrance\$1) same (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) same (database\$1 storag\$3 store\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:46
S18 3	1718	"340"/\$.ccls. and (door\$1 gate\$1 entrance\$1) same (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) same (database\$1 storag\$3 store\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:46

## EAST Search History

S18 4	161	"340"/\$.ccls. and (door\$1 gate\$1 entrance\$1) same (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) same (database\$1 storag\$3 store\$1).ab. and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:47
S18 5	58	"340"/\$.ccls. and (door\$1 gate\$1 entrance\$1) with (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) with(database\$1 storag\$3 store\$1).ab. and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:48
S18 6	13	"340"/\$.ccls. and (door\$1 gate\$1 entrance\$1) near3 (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) near3 (database\$1 storag\$3 store\$1).ab. and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:54
S18 7	82	"340"/\$.ccls. and (door\$1 gate\$1 entrance\$1) near3 (database\$1 storag\$3 store\$1) same (key\$1 code\$1 pad\$1 keypad41) near3 (database\$1 storag\$3 store\$1) and @ad<="20020524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:54